



Small, round and multi-functional – the KLICKfix Mini adapter. You can turn the head part of the adapter in 90° steps, allowing you to attach an accessory from any of four different directions. The bags can be fixed in an upright or horizontal position on the frame, handlebar, stem or seat post. Easy UNIFIT-mounting with stainless strap on Ø 15-60 mm.

**KLICKfix TIP!** The Mini adapter and Twin adapter can also be screwed directly into integrated frame threads for bottle cages (using countersunk head screws M5 x 25-30). Accessories for Mini adapter are also compatible with the KLICKfix saddle adapter.



0500 B

Accessory includes Mini adapter



MiniMap on stem

**MINIMAP**

Handy map-holder completely made of plexi-glass, easily mounted onto handlebar or stem using the KLICKfix Mini-adapter. All map sizes simply slide in. Can also be used in combination with handlebar bags. Two sizes available.

**MiniMap I:** 9 x 15 cm, 90g

2703

**MiniMap II:** 12 x 25cm, 150g

2704



Compact on stem

**MINI ADAPTER WITH CABLE LOCK HOLDER**

Universal fixture for easy retrofitting of cable locks. The Mini adapter is mounted via the stainless strap onto frames, handlebars or seat posts Ø 15-60mm. The associated retrofit lock holder can be attached to cable locks Ø 6-10mm.

0501 B



**TWIN ADAPTER WITH U-LOCK HOLDER**

Retrofit kit for Ø 12mm U-locks. The coupling can be directly mounted on the steel U-frame. Easy mounting with two stainless straps which make it suitable even for heavy locks (up to 2kg). Fits frames Ø 15-60mm. The adapter can also be mounted onto integrated frame threads for bottle cages using countersunk head screws M5 x 25-30mm (not included).

0500 A



**BOTTLE KLICK**

The popular Bottlefix now comes with its own KLICKfix quick-release function. In this way a given bottle holder can be quickly „clicked“ onto the bike and released again within seconds. Can be used for all common bottle cages (up to 1kg). Mini-adapter included.

1650



BottleKlick on frame



cable lock holder

**FREELINER**

Our map-holder with swivel coupling for quick turns from horizontal to vertical position. Perfect for all touring books and map formats up to 24,5x12,5cm. Sturdy transparent raincover protects maps from wind and rain. Can be detached within seconds and fixed again securely with a single „KLICK“.

24,5 x 12,5 cm, 110g

2705



**COMPACT**

For everyone who does not need a large handlebar bag or wishes to combine a compact bag with the Sunny map holder. Two main compartments with zipper for camera, glasses and anything else you need at hand. Especially well-suited for mounting on the stem.

11 x 19 x 9cm

180g, 2 L

0292 CS



**HANDY ZIP**

A handy little bag for mobile phones, glasses, etc. Main compartment with zipper. Additional pocket for key, credit card or change. Available in two sizes. It can also be used with the saddle adapter.

**Zip II:** 6 x 17 x 4cm, 90g, 0,5L

0299 ZS



**LIGHT BAG MINI**

Mini Bag for anything that needs to be within quick reach, whether it is your camera, glasses, energy bar or water bottle. The soft inner lining provides ideal protection for objects with sensitive surfaces, such as aluminum bottles. Outer mini-compartment with zipper for keys and small change. The drawstring can serve to close up the main compartment or to hold the bottle in place. max. 800g.

Ø 10cm x 15cm

120g, 1L

0304 MS



U-lock holder



Handy Zip on handlebar



Light bag Mini

turnable

Freeliner on handlebar

## Permanent mountings

## Unidisc chain wheel disc, Spokey nipple wrench

**UNI** UNIFIT is a mounting system for bike accessories. It fits any diameter up to 60mm and is easily mounted even onto oval frames. The stainless steel strap can be cut to the desired individual length.



No risk of scratching even sensitive frame surfaces, thanks to rounded strap edges.



### PUMPFIX



### MINIMOUNT



### BOTTLEfix



### SPOKEY

### SPOKEY PROFESSIONAL

Universal pump holder. All pump sizes can be fixed between Pumpfix and the frame. Easy mounting with stainless steel strap on frames sized Ø 15-60mm. Only for pumps with indentation for pump holders.

1849

Retrofit kit for lightweight accessories like reflectors, lights etc. The 360° revolving top permits many different mounting positions. Easy mounting with stainless steel strap on tubes Ø 12-28mm.

1648

Retrofit kit for any kind of bottle holder. The adapter head revolves in 90° steps and thus permits the fixation on handlebars, frame or seat post. Easy mounting with stainless steel strap on Ø 15-60mm. Especially practical on bikes without integrated frame threads (such as kids' bikes).

1649

The legendary, patented spoke tool, extremely light and robust. The unique design has proven its quality for 25 years among bikers and bike mechanics alike. The hardened steel insert is manufactured with the highest precision and grips the spoke nipple on all sides. A must-have in any toolbox, at home and on the road.

**Spokey 3,25mm, red**  
**Spokey 3,40mm, black**  
4,5 x 4,7cm, 10g



2196



2195

The double-layered metal insert doubles the surface contact between tool and nipple. This allows you to perform a larger number of turns with less pressure. Especially well-suited for professional use, high torque, and sensitive aluminum nipples. Double insert grips spoke nipple on all sides and prevents damage of nipple edges.

**Spokey Pro 3,25mm**  
red, 4,5 x 5cm, 12g  
2195 PRO

**Spokey Pro 3,40mm**  
black, 4,5 x 5cm, 12g  
2196 PRO


**Spokey Pro 3,25mm**  
blue for thicker spokes 2,34mm  
4,5 x 5cm, 12g  
2193 L



### LIGHT HOLDER FOR FORK OR FRAME

Provides a universal mounting solution for battery lights which can be obscured when used simultaneously with a handlebar bag. The fibre reinforced cylinder attached to a metal frame can be affixed to frames or forks and creates a permanent, secure and noise free mounting location for a battery light.

1647



### BOTTLEfix EXTENDED



Retrofit kit for mounting bottle holder on the seatpost. Fits all common seat posts and bottle holders.

1649 A



### UNIDISC




The first universal chain wheel disc of break-resistant material and modern design. New mounting system with glass fibre reinforced adapter socket that can be screwed into crank centre. Fits all cranks with inner thread. Disc does not come into contact with chain ring. Fast and easy mounting with single central screw. Available in black or transparent material. For chain wheels up to 48 sprockets.




0729 GT

0729 G



ADAPTER	DISCRIPTION	EXAMPLE	COMPATIBLE WITH
	<b>HANDLEBAR ADAPTER</b> proven since years, robust, glass fibre reinforced. The patented security cable ensures that the adapter remains securely fixed and does not turn downwards. <b>max. 7 Kg</b>		Baggyplate on baskets <b>max. 7 Kg</b> on bags <b>max. 2 Kg</b>
	<b>Extras:</b> MultiClip / MultiClip Plus / MultiClip E for fixation of GPS, speedo, e-bike Displays		inner plate <b>max. 2 Kg</b>
	Distanz-Sets 5mm / 43mm: more space for curved handlebars and cables		Lamelloplate continuously adjustable <b>max. 7 Kg</b>
	oversize clamps for Ø 31,8mm		
	<b>Versions:</b> H.A. Standard Ø 22-26mm (also with lock)		
	H.A. Universal Ø 22-31,8mm (also with lock)		
	H.A. Oversize Ø 31,8mm		
	H.A. E extra wide for combination with e-Bike Displays Ø 22-31,8mm (also with lock)		
	<b>HANDLEBAR ADAPTER CADDY</b> for mounting on vertical tubes such as stems or seat posts Ø 22-36mm. Suitable for foldable bikes, scooters, wheel chairs, golf caddys etc. Robust body made of fibre glass reinforced polyamide. <b>max. 7 Kg</b>		stable Steel bracket <b>max. 7 Kg</b>
	<b>EXTENDER</b> enables you to use all handlebar accessories on seat posts. Fits for seatposts Ø 25-32mm. <b>max. 5 Kg</b>		lightweight Aluminum bracket <b>max. 2 Kg</b>
	<b>Extras:</b> Oversize clamp for Ø 32-36mm		
	<b>Versions:</b> Extender with/without adapter head		
	<b>HANDLEBAR ADAPTER FOR STEM</b> for mounting on long vertical stems Ø 22,2-25,4mm. Favourable accessory position with a lower bary centre. This mounting position allows the adapter to remain independent of the inclination of adjustable stems. The bracket can also be turned upside down. <b>max. 5 Kg</b>		coupling on Reisetel Bikebaskets <b>max. 5 Kg</b>
	<b>HANDLEBAR ADAPTER FOR HEAD TUBE</b> Only for bikes with special head tube threads (depth gauge 16/30mm). The new upturned shape increases the distance to the front wheel, that KLICKfix bags and baskets can be mounted even onto small foldable bikes. <b>max. 5 Kg</b>		plate on backpacks with foldaway bracket <b>max. 5 Kg</b>
	<b>FRAME BRACKET</b> Intended to be combined with the KLICKfix handlebar adapter. Only for bikes with special head tube threads (depth gauge 30mm). <b>max. 5 Kg</b>		coupling on Sunny mapholder
	<b>CONTOUR ADAPTER</b> for Contour Bags with aluminum or glassfibre reinforced bracket, comes with two clamps for seat posts Ø 25-28 and Ø 28-32mm, <b>max. 2 Kg</b>		Contour Contour Mini
	<b>Extras:</b> Oversize clamp for Ø 32-36mm		
	<b>CONTOUR MAX ADAPTER</b> fits to Contour Max Bags with double aluminum bracket. A Clamp for seat posts Ø 25-32mm is included. <b>max. 3 Kg</b>		Contour Max bracket <b>max. 3 Kg</b>
	<b>Extras:</b> Oversize clamp for Ø 32-36mm		
	<b>QUAD MINI BLOC</b> compact and small fixation for seatpost, handlebar, frame or stem Ø 15-60mm (in combination with Integra saddlebags <b>max. Ø 45mm</b> ) <b>max. 1 Kg</b>		Quad Integral Quad CamOn

SYMBOLE	
	Handlebar Adapter
	Contour Adapter
	Contour Max
	Quad Adapter
	Quad MiniBloc
	Saddle Adapter
	Mini Adapter
	Twin Adapter
	Racktime Adapter
	Rackpack Adapter
	GTA Plate
	Komfort Rail
	Universal Rail
	Modul Rail
	Vario hook
	Vario Top hook
	Light holder
	raincover
	waterproof
	new Product
	antirust
	Unifit mount
	permanent mount



ADAPTER	DESCRIPTION	EXAMPLE	COMPATIBLE WITH
	<b>QUAD ADAPTER</b> progressive fixation for smartphone bags and AriCases. The stainless steel band facilitates fixation to handlebars, stem or frame of any radius. <b>max. 1 Kg</b>		Quad adapterplate/Clip Aricases rotatable
	<b>TWIN ADAPTER</b> the quick-release retrofit kit for 12mm U-locks. The coupling can be directly mounted on the steel U-frame. Easy mounting with two stainless straps. Fits frames Ø 15-60mm. <b>max. 2Kg</b>		U-Lock clamp
	<b>SADDLE ADAPTER</b> compact adapter for most sports saddles. Fits bags in our „Micro“ and „Handy“ series, as well as the cable lock holder. Accessories for Saddleadapter can also be used for the Miniadapter. <b>max. 1Kg</b>		Micro plates Bottlekick Freeliner MiniMap cable clamp
	<b>MINIADAPTER</b> head part of the adapter can be mounted in 90° steps to give access from different directions. Fits to Handy-, Microbags, cablelocks or mapholders. Easy mounting on frame, handlebar, stem or seat post Ø 15-60mm. Accessories for Miniadapter can also be used for the saddleadapter. <b>max. 1Kg</b>		
	<b>RACKTIME ADAPTER</b> bags with this bottom coupling perfectly fit onto racktime carriers. <b>max. 10 Kg</b>		Racktime Carrier
	<b>RACKPACK ADAPTER</b> bags with this bottom coupling with strap release perfectly fit onto rackpacker or free-rack carriers. Slide bag onto the freerack carrier and the bag locks in automatically. Just pull the strap for easy release ! <b>max. 10 Kg</b>		Freeracks Rackpacker
	<b>CARRIER ADAPTER</b> can be mounted with two brackets onto carriers up to 14,5cm in width. All accessories are locked through a central bar. Boxes, baskets or topcases are fixed on top of the adapter. Bags can be hung into the side slits. <b>max. 3x10 Kg</b>		coupling GTA GTA Hooks
	<b>UNIVERSAL RAIL</b> adjustable rail with flexible handle. With exchangeable hooks, reducing pieces for carrier diameters 8/10/12mm plus 16mm hooks for Kettler bikes. <b>max. 10 Kg</b>		carrier Ø 8-12/16mm
	<b>MODUL RAIL</b> professional aluminium rail with movable hooks and continuously adjustable locking mechanism for Ø 8-16mm. <b>max. 10 Kg</b>		carrier Ø 8-16mm
	<b>KOMFORT RAIL</b> classic, time-proven rail with a solid, removable handle. Continuously adjustable hook and locking mechanism for carriers Ø 8-13mm. <b>max. 10 Kg</b>		carrier Ø 8-13mm
	<b>VARIO TOP HOOK</b> automatic adjustment to carriers with Ø 8-16mm, sits flush with the rack, so accessories can be used simultaneously on top. <b>max. 10 Kg</b>		carrier Ø 8-16mm
	<b>VARIO HOOK</b> simple continuously adjustable hook for carriers Ø 6-16mm. <b>max. 10 Kg</b>		carrier Ø 6-16mm